



Presentation September 2021



TSXV FO.V AIM FOG.L

Important Notice & Disclaimer



This presentation ("Presentation") has been prepared by Falcon Oil & Gas Ltd. (the "Company" or "Falcon") for informational purposes only. The Presentation is not an offering document and shall not constitute an offer to buy, sell, issue or acquire, or the solicitation of an offer to buy, sell, issue or acquire, any securities. The Presentation is not intended to be, nor should it be construed to be, investment advice or a recommendation by Falcon or any of its shareholders, directors, officers, agents, employees or advisors to purchase or sell securities of Falcon. No representation or warranty, express or implied, is made as to the fairness, accuracy, completeness or correctness of the information, opinions and conclusions contained in this Presentation. The information contained in this Presentation should not be assumed to have been updated at any time subsequent to the date shown on the cover hereof.

Advisory regarding forward-looking information

All statements contained herein that are not clearly historical in nature are forward-looking. Forward-looking statements may be identified by use of forward-looking words, such as "expects", "estimates", "plans", "assumes", "anticipates", "believes", "opinions", "forecasts", "projections", "guidance", "may", "could", "will", "potential", "intend", "should", "suggest", "predict" (or the negative thereof) or other statements that are not statements of fact. Similarly, forward-looking statements in this Presentation include, but are not limited to, anticipated developments of Falcon's drilling projects and the timing thereof, capital investment levels and the allocation thereof, pipeline capacity, government royalty rates, reserve and resources estimates, the level of expenditures for compliance with environmental regulations, site restoration costs including abandonment and reclamation costs, exploration plans, acquisition and disposition plans including farm out plans, the shale oil and shale gas potential of the Beetaloo Sub-basin; information relating to the 2021 work programme, information relating to normalised gas flow rates, the 2021 work programme, the pause to operations at Kyalla 117, the contingent resource estimate for the Amungee NW-1H Velkerri B shale gas pool, comments made with respect to the type, number, schedule, stimulating, testing and objectives of the wells to be drilled in the Beetaloo Sub-basin Australia, the prospectivity of the Middle Velkerri and Kyalla plays and the prospect of the exploration programme being brought to commerciality; treatment under governmental regulatory regimes and tax laws; the quantity of petroleum and natural gas resources or reserves including details of what was submitted to the Northern Territory Government; statements relating to the Company's activities in the Beetaloo Sub-basin; plans to re-enter Kyalla 117 N2-1H ST2 with coiled tubing and apply nitrogen lift techniques and the likelihood of such operations being successful; COVID-19 and the impact on the work programme, net cash flows, geographic expansion and plans for seismic surveys. In addition, statements relating to "reserves" or "resources" are deemed to be forward-looking statements, as they involve the implied assessment, based on certain estimates and assumptions, that the reserves and resources described can be profitably produced in the future. Falcon's discovered resources are not reserves. Such statements represent Falcon's internal projections, estimates or beliefs concerning, among other things, an outlook on the estimated amounts and timing of capital expenditures, anticipated future debt levels and incentive fees or revenues or other expectations, beliefs, plans, objectives, assumptions, intentions or statements about future events or performance.

The forward-looking statements are based on current expectations that are subject to significant risks and uncertainties that are difficult to predict. The risks, assumptions and other factors that could influence actual results include risks associated with fluctuations in market prices for shale gas; risks related to the exploration, development and production of shale gas reserves; general economic, market and business conditions; substantial capital requirements; uncertainties inherent in estimating quantities of reserves and resources; extent of, and cost of compliance with, government laws and regulations and the effect of changes in such laws and regulations; the need to obtain regulatory approvals before development commences; environmental risks and hazards and the cost of compliance with environmental regulations; aboriginal claims; inherent risks and hazards with operations such as mechanical or pipe failure, cratering and other dangerous conditions; potential cost overruns; drilling wells is speculative, often involving significant costs that may be more than estimated and may not result in any discoveries; variations in foreign exchange rates; competition for capital, equipment, new leases, pipeline capacity and skilled personnel; the failure of the holder of licenses, leases and permits to meet requirements of such; changes in royalty regimes; failure to accurately estimate abandonment and reclamation costs; inaccurate estimates and assumptions by management and their joint venture partners; effectiveness of internal controls; the potential lack of available drilling equipment; failure to obtain or keep key personnel; title deficiencies; geo-political risks; and risk of litigation.

Readers are cautioned that the foregoing list of important factors is not exhaustive and that these factors and risks are difficult to predict. Actual results might differ materially from results suggested in any forward-looking statements. Falcon assumes no obligation to update the forward-looking statements, or to update the reasons why actual results could differ from those reflected in the forward looking-statements unless and until required by securities laws applicable to Falcon. Additional information identifying risks and uncertainties is contained in Falcon's filings with the Canadian securities regulators, which filings are available at www.sedar.com, including under "Risk Factors" in the Company's Annual Information Form.

Advisory regarding oil and gas information

Any references in this Presentation to initial production rates are useful in confirming the presence of hydrocarbons; however, such rates are not determinative of the rates at which such wells will continue production and decline thereafter and are not necessarily indicative of long-term performance or ultimate recovery. While encouraging, readers are cautioned not to place reliance on such rates in calculating the aggregate production for Falcon. Such rates are based on field estimates and may be based on limited data available at this time.

This Presentation provides certain information relating to properties in close proximity to the Company's properties, which is "analogous information" as defined by applicable securities laws. This analogous information is derived from publicly available information sources, which the Company believes are independent in nature. Estimates by engineering and geotechnical practitioners may vary and the differences may be significant. The Company believes that the provision of this analogous information is relevant to its activities and forecasting, given its interest in properties in the area; however, readers are cautioned that there is no certainty that any forecasts provided herein based on analogous information will be accurate.

Contingent resource estimates are those quantities of gas (produced gas minus carbon dioxide and inert gases) that are potentially recoverable from known accumulations, but which are not yet considered commercially recoverable due to the need for additional delineation drilling, further validation of deliverability and original gas in place, and confirmation of prices and development costs. There is uncertainty that it will be commercially viable to produce any portion of the resources. For additional information relating to contingent resource estimates in respect of the Amungee NW-1H Velkerri B Shale Gas Pool which were prepared by an Origin employee and a Qualified Reserves and Resources Evaluator effective as of February 15, 2017, please refer to Falcon's Annual Information Form dated April 26, 2021, which is available on SEDAR at www.sedar.com.

Company Overview and Strategy



- International oil and gas company focused on the exploration and appraisal of unconventional oil and gas assets




Australia

- 4.6 million gross acres
- Successful Stage 1 drilling program in 2015-2016
- 6.6 TCF 2C gross contingent resource estimate discovered so far
- Stage 2 drilling operations ongoing

Corporate strategy is to:


- Explore unconventional oil and gas basins
- Following successful exploration, continue with appraisal programs to determine commercialisation options
- Monetise assets prior to production



Beetaloo Sub-basin - Asset Overview



- Falcon Australia ⁽¹⁾ owns 22.5% of three exploration permits in the Beetaloo Sub-basin (EP76, EP98, EP117)
- Total gross acres 4.6 million, net 1 million acres to Falcon Australia's 22.5% participating interest
- In 2014 Falcon Australia farmed out 70% of the Beetaloo exploration permits to Origin⁽²⁾ (who became Operator) in a deal worth A\$200⁽³⁾ million
- In 2020 Falcon Australia farmed out a further 7.5% to Origin, increasing the carry by A\$150 million.
- Falcon is carried up to A\$263.8 million on gross costs for Stage 2 and Stage 3 in accordance with the terms of the farm-out deal
- The joint venture drilled four wells in the Stage 1 work program
- Stage 2 drilling operations ongoing



Source: Close et al. 2016 AAPG, "Unconventional Gas Potential in the Northern Territory, Australia: Exploring the Beetaloo Sub-Basin"

⁽¹⁾Falcon Oil & Gas Australia Limited (c. 98% subsidiary of Falcon Oil & Gas Ltd.)

⁽²⁾Origin Energy B2 Pty Ltd. a subsidiary of Origin Energy Limited.

⁽³⁾Included cash consideration, contributions to Stages 1, 2 and 3 and reduction of ORRIs

Beetaloo Sub-basin JV Work Program Strategy



From Exploration -> Appraisal -> Commerciality

Stage 1 Prove the presence, quality and continuity of the Velkerri shale dry gas play

Stage 2 Evaluate the potential of liquids rich gas fairways in the Kyalla and Velkerri shales


Stage 3 Prove flow rates of gas/liquids that provide a range of commercialisation options



2021 Work Programme

The 2021 work programme includes the following:

- Perform a production test at Amungee NW 1H to determine if all frack stages contributed to the initial EPT conducted in 2016
- Resume clean-up operations of the Kyalla 117 N2-1H ST2 well (“**Kyalla 117**”) and upon success progress to an extended production test (“EPT”)
- Drill a vertical pilot well to evaluate the Velkerri liquids rich gas play (“**Velkerri 76**”) by acquiring cores and running logs and diagnostic fracture injection test (DFIT)




Source: Côté et al. 2018 APPEA, “Australia’s premier shale basin: five plays, 1 000 000 000 years in the making”

2021 - Amungee NW-1H Testing



- Successfully put back on production testing
- Initial flow rates during the first 48 hours of testing ranged between 2-4 MMscf/d with rates averaging 1.23 MMscf/d over the first 23 days
- A production logging tool (PLT) was run on 19 August 2021 confirming:
 - 5-15% of production came from stages 1-7 beyond the casing deformation point at 3,112 mMD
 - 85-95% of production came from stages 8-11 spanning a 200m horizontal section prior to casing deformation
- Stages 1-7 low contribution likely due to restriction from the casing deformation and/or the plugs having not milled out
- Stages 8-11 may be representative of the deliverability that is achievable in the Middle Velkerri B shale
- PLT test results suggest a normalised gas flow rate equivalent of between 5.2 - 5.8 MMscf/d per 1,000m of horizontal section significantly improving the prospectivity of the Velkerri dry gas play
- Results put the Beetaloo on a par with other shale gas basins in North America and provide line of sight to commercialisation




Amungee NW-1H – Stage 1 Recap



Amungee operations recap (2015-2017)


- The first horizontal well to be drilled and first well to be fracked with Falcon’s JV partner, Origin
- **November 2015:** Successfully drilled to a total measured depth of 3,808m, including a 1,100m horizontal section. Landed in the Middle Velkerri B shale, drilled through excellent quality and laterally consistent shales. High gas saturation across entire horizontal section, favourable shale properties
- **September 2016:** 11 hydraulic stimulation stages successfully executed in the horizontal section in the Middle Velkerri B shale zone
- **December 2016:** Extended production testing (EPT) for 57 days, average gas flow rate 1.1 MMscf/d
- **February 2017:** Confirmed a gross contingent resource of 6.6 TCF, 1.46 TCF net to Falcon⁽³⁾



Sources: Close et al. 2017

⁽³⁾ Full details are contained in Falcon’s Annual Information Form for the year ended 31 December 2020, dated 26 April 2021

Stage 2 - Kyalla 117 N2-1H ST2 Well (“Kyalla 117”)




- TD 3,809m MD, including a 1,579m lateral section in the Lower Kyalla Shale.
- Kyalla Shale Formation almost 900 metres thick
- Within the Kyalla Formation three prospective intervals identified, being the Lower, Middle and Upper Kyalla Shales (“**Kyalla Shales**”)
- Gross thickness of each of the Kyalla Shales is between 45-80 metres
- 45 metres of conventional coring acquired in each of the Upper and Lower Kyalla Shale reservoir sections.
- Diagnostic fracture injection tests (“**DFITs**”) were performed on each of the Kyalla Shales
- Formation evaluation in progress by means of extensive core analysis program, DFITs and extensive wireline logging

not to scale

Stage 2 - Kyalla 117

- Confirmed continuation of the Kyalla formation between Beetaloo W-1 and Amungee NW-1H
- Completed 11 hydraulic stimulation stages along the lateral section, with stimulation treatments successfully executed
- Introduced nitrogen to lift the fluids in the well and lower pressures to assist with achieving a gas breakthrough
- Notification of discovery in January 2021



Kyalla 117 – Notification of Discovery & Gas Composition Data



Notification of Discovery

- Supported by preliminary production test data and petrophysical modelling
- Unassisted gas flow rates ranging between 0.4-0.6 MMscf/d over 17 hours
- Flow back of hydraulic fracture stimulation water over the same period, averaged 400-600 bbl/d.

Further Information

- Longer-term measures to be put in place to flow back sufficient hydraulic fracture stimulation water to allow Kyalla 117 to flow continually without assistance
- An EPT will be required to determine the long-term performance of Kyalla 117

Gas Composition Data Confirm Kyalla Liquids Rich Gas Play

Initial analysis by gas chromatography confirms a liquids-rich gas flow low in CO₂:

- C₁ = 65.03 mol% • nC₄ = 2.03 mol%
- C₂ = 18.72 mol% • C₅₊ = 2.73 mol%
- C₃ = 8.37 mol% • CO₂ = 0.91 mol%
- iC₄ = 1.29 mol% • N₂ = 0.92 mol%
- The elevated C₃₊ gas component of 14.42 mol% confirms the Lower Kyalla Shale as a liquids rich gas play.
- Gas composition data also supports the view that the Kyalla gas stream will have elevated LPG and condensate yields.



2021 – Kyalla 117



Kyalla 117

- June 2021 operations recommenced with activities focused on clean-up in preparation for an EPT using nitrogen to support operations
- Production was not sustained and there was evidence of a potential downhole flow restriction
- Operations were temporarily paused while the cause of the restriction was investigated, the results of which will inform the development of a new go-forward plan for Kyalla 117
- Operations recommenced mid September 2021, if successful in resolving the restriction, will result in an extended production test being carried out to determine the expected longer-term performance of the well



2021 – Velkerri 76



Velkerri 76

- Spudded mid August 2021
- Objectives are to:
 - drill a vertical pilot well to acquire core and log and conduct a DFIT across the Velkerri
 - penetrate the Velkerri formation to assess hydrocarbon maturity, saturation and reservoir quality
 - provide further information on the areal distribution of the Velkerri formation
 - collect data for potential future horizontal drilling, completion, stimulation and production testing, including ability to flow liquids rich gas



Stage 1 Recap – Successful Initial Drilling Program




Kalala S-1 (2015)

- TD 2,622m MD (measured depth)
- Confirmed the presence of 3 organic rich intervals in the Middle Velkerri target (A, B & C shales)
- Full log suite
- Core vault, sidewall cores
- DFIT

Beetaloo W-1 (2016)

- TD 3,172m MD
- Confirmed the presence and continuity of A, B & C Velkerri shales to the south
- Confirmed the presence and continuity of the Kyalla Shales
- Full log suite
- Full-diameter (Kyalla) and sidewall cores



Amungee NW-1 (2015)

- TD 2,609m MD
- Confirmed the presence and continuity of A, B & C Velkerri shales
- Full log suite
- Full-diameter (C shale) and sidewall cores
- DST in Hayfield Sandstone

Amungee NW-1H (2015-2016)

- Amungee NW-1 sidetrack
- Landed in the B shale, 100% in zone
- TD 3,808m MD
- Successful extended production test (57 days)
- Notice of discovery, basis of contingent resource estimate

Recap Stage 1 - Middle Velkerri B Shale Gas Volumetrics



Middle Velkerri B Shale P50 Volumetric Estimates as of 15 February 2017^{*(1)}

	Gross Best Estimate	Net Attributable Best Estimate ⁽²⁾
Area km ² ⁽³⁾	16,145	4,751
Original Gas In Place (“OGIP”) (TCF)	496	146
Combined Recovery / Utilisation Factor ⁽⁴⁾	16%	16%
Technically Recoverable Resource (TCF)	85	19
OGIP Concentration (BCF/km ²)	31	31

Middle Velkerri B Shale Pool 2C Contingent Gas Resource Estimates within EP76, EP98 and EP117 as of 15 February 2017^{*(5)}

Measured and Estimated Parameters	Units	Best Estimate
Area ⁽⁶⁾	km ²	1,968
OGIP ⁽⁷⁾	TCF	61.0
Gross Contingent Resource⁽⁸⁾	TCF	6.6
Net Contingent Resource^(2,8)	TCF	1.46

Notes:

¹ The estimates included in the table above were not prepared in accordance with the Canadian Oil and Gas Evaluation Handbook (“COGEH”)

² Falcon’s working interest is 22.07% (as of 7 April 2020, previously 29.43%), net attributable numbers do not incorporate royalties over the Beetaloo JV Permits (EP76, EP98, EP117)

³ Area defined by a depth range at a maturity cut-off consistent with the dry gas window within the Beetaloo JV Permits (EP76, EP98, EP117)

⁴ The factor range was applied stochastically to the OGIP range to calculate the range of technically recoverable resource within the Beetaloo JV Permits

⁵ Contingent resource estimates have been prepared on a statistical aggregation basis and in accordance with the Society of Petroleum Engineers Petroleum Management System (SPE-PRMS).

Contingent resource estimates are those quantities of gas (produced gas minus carbon dioxide and inert gasses) that are potentially recoverable from known accumulations but which are not yet considered commercially recoverable due to the need for additional delineation drilling, further validation of deliverability and original gas in place, and confirmation of prices and development costs. If the estimates were to be prepared in accordance with COGEH, Falcon is highly confident that there would be no change to the contingent resource estimates above

⁶ P50 area from the contingent resource area distribution

⁷ OGIP presented is the product of the P50 Area by the P50 OGIP per km²

⁸ Estimated contingent gas resource category of 2C. There is no certainty that it will be commercially viable to produce any portion of the resources

*Reference should be made to the Company’s most recent Annual Information Form for further particulars regarding the resource estimates, details found at the following link <https://falconoilandgas.com/reports-and-filings-new/>

Market Overview – Gas Infrastructure



Key LNG Projects

Ichthys LNG

Major partners: Inpex, Total
 Start date: 2018
 Annual capacity: 8.9 MT (~427BCF)
 Cost estimate: US\$45bn



Darwin LNG

Major partners: Santos, SK E&S, Inpex, ENI
 Start date: 2006
 Annual capacity: 3.7 MT (~178BCF)
 Cost estimate: US\$2.1bn



New Pipeline Infrastructure

Northern Gas Pipeline (NGP)

The A\$800m, 622km Northern Gas Pipeline, commenced operations in January 2019



November 2020 announced an MOU with Tamboran to expedite plans to invest over \$5 billion to increase the capacity of its NGP and extend the NGP from the Beetaloo Basin to the Wallumbilla Gas Hub in Queensland

Other Beetaloo Explorers





Appendices

Appendix A

Corporate Information



Share Capital & Cash

Common shares in issue	981,847,425
Share options outstanding	47,000,000
Fully diluted share capital	1,028,847,425
Cash at 30 June 2021	US\$10m

Major Shareholders

Lamesa Holding S.A.	16.00%
Burlingame Asset Management	4.97%
Bankruptcy Estate of Petrohunter Energy Corporation	4.90%
Nicolas Mathys	4.07%

Trading Details


Toronto: TSXV	Ticker: FO.V
London: AIM	Ticker: FOG.L

Contact Details

Falcon Oil & Gas Ltd.
68 Merrion Square South
Dublin 2, Ireland.
Tel: +353 1 676 8702 / www.falconoilandgas.com

Appendix B - Beetaloo Sub-basin - Petroleum Geology


- Identified plays in the Beetaloo Sub-basin include:
 - Velkerri shale dry gas play
 - Kyalla shale and hybrid liquids rich gas plays
 - Velkerri shale liquids rich gas play



Appendix C - Stage 1 - Amungee NW-1 Horizontal Test Results



- Extended well test duration: 57 days, with cumulative production of 63 MMscf
- Variable gas rates through 2-3/8" production tubing ranged between 0.8-1.2 MMscf/d
- Proved up discovery of shale gas accumulation



Source: Close et al. 2017 AGES presentation, "Proterozoic shale gas plays in the Beetaloo Basin and the Amungee NW-1H discovery"

Appendix D Middle Velkerri Characterisation - Comparison with US basins



	Marcellus Shale ¹	Barnett Shale ¹	Middle Velkerri Shale
Estimated Basin Area (km ²)	246,050	12,950	17,070 ⁴
Typical Depth (m)	1,220-2,590	1,980-2,590	1,000-2,500
Gross Thickness (m)	60	60-305	45- >420
Net Thickness (m)	15-105 (45)	30-215 (90)	60-86 (73) ²
Reported Gas Contents (scf/ton)	60-150	300-350	100 ²
Porosity (%)	4-12 (6.2)	4-6 (5)	2-8
Gas-filled Porosity (%)	4	5	2.5 ²
Water Saturation (%)	43	38	58 ²
Permeability Range (average) (nD)	0-70 (20)	0-100 (50)	10-100 (50)
Reported Silica Content (%)	37	45	49 (1-77)
% Ro (average range)	1.5 (0.9-5)	1.6(0.85-2.1)	1.5->2.5 ³
TOC present-day (average in wt%)	4.01 (2-13)	3.74 (3-12)	3.74 (1-10)

Source: Close et al. 2016 AGES, "Unconventional gas potential in Proterozoic source rocks: Exploring the Beetaloo Sub-basin"

¹Jarvie DM, 2012. Shale Resource Systems for Oil and Gas: Part 1—Shale-gas Resource Systems: in Breyer JA (editor). 'Shale Reservoirs: Giant Resources for the 21st Century'. AAPG Memoir 97, 69–87

²Origin Energy Ltd estimated average values from C, B, and A shale in Kalala S-1 and Amungee NW-1

³Value represent Equiv. %Ro estimated from alginite reflectance

⁴Based on Beetaloo JV permit area